

DUOLED-BT HIGHLIGHTS

Superb audio Bluetooth dual headset with USB-C standing dongle and busy light information.

Note: The Headset support starts from the following Headset integration versions:

- 2.9.9 (Windows)
- 2.9.0 (macOS)

FEATURES

- Status LEDs: online, away, DND, on call, ringing, call hold, missed call
- Answer/ Hangup/ Mute/ Volume control buttons
- Bluetooth 4.2, advanced multipoint
- Wideband audio frequency
- Ultra noise canceling mic
- Up to 30m wireless range
- Talking time up to 15 hours
- High-performance 6th generation CVC technology



DUOLED-BT - TECH SPECIFICATIONS

CONNECTIVITY

Bluetooth 4.2 advanced multipoint
Range: up 30 meters
Frequencies: 2.4 GHz-2.480 GHz
Profiles: HSP 1.2, HFP 1.6, A2DP

POWER and BATTERY

Talking time: up to 15 hours
Standby time: up to 100 hours
Type: Lithium-ion polymer
Capacity: 300 mA per hour standard
Charging time: approx. 3.5 hours
Charging method: USB Type-C (Type-A adapter included)

AUDIO

Wideband audio frequency
Noise cancelling mic
Advanced hearing protection with safetone™
Crystal clear sound and voice DSP
High-performance 6th generation CVC technology
Tone control
Frequency: 100-12KHz
Speaker Impedance: 32Ω
Speaker Sensitivity 1kHz: 96±3dB
Microphone Sensitivity 1kHz: -50±2dB

ENVIRONMENTAL

Working: 0 °C to +40 °C; up to 95% relative humidity, non-condensing
Battery operating: -20 °C to +60 °C

PHYSICAL

Weight: 307g (Headset and Base Station)
Size:
Headset: 174*143*30mm
Base: 121*69*195mm

Visual indicators: LED indicates call status, pairing status and others

Beep: indicate volume level, microphone mute, and others

COMRATIBILITY

WorkForce *
WelcomeConsole *
Vision, SuperVision **
Apple Mac, Windows PC
Android, iOS apps (without support of LED user statutes)
W-AIR LifeSaver, W-AIR Med, W-AIR Office (without support of LED user statutes)

* Full LED user statutes support for WorkForce, WelcomeConsole will be available later

** The Headset cannot be connected to Vision/ SuperVision via USB, the support will be available later

Phones Accessories datasheets:

