



# VIDEO CONFERENCE AT YOUR DESK

Ubiconf offers you the best videoconferencing experience ever. Wildix ubiconf videoconference solution is fully integrated into the company communication system and does not require installation of any additional software or hardware components.

Everything you need is the web browser. Easily start a videoconference with internal and external users right from your Collaboration web interface.

Wildix offers additional equipment to ensure the best user experience in large conference room — **ubiconf-Voice**, and **ubiconf-Huddle** for small conference rooms.



#### **UBICONF HIGHLIGHTS**

- Based on WebRTC
- No installation, plugin free
- Instant access via a link, also for external users
- Chat, HD video & audio
- · Access in audio-only mode possible
- Speaker auto-detection

- Conference scheduling
- Desktop sharing
- Mute mode
- Conference recording (audio, video, screen sharing)
- Live streaming to Facebook, YouTube

Version: 01/2018 1/3

#### **UBICONF DATASHEET** - ENGLISH




## **UBICONF-HUDDLE**

A **huddle room** is a collaboration space of the future -- a small room, equipped with teleconferencing system, where 3-5 people can gather for short meetings to discuss projects, strategize and take decisions.

**Ubiconf-Huddle** is a Plug&Play solution for your Huddle Rooms.

## **UBICONF-HUDDLE HIGHLIGHTS**

- 120° wide angle webcam, Full HD
- No need of remote control
- 360° microphone
- All-in-one USB cable
- Portable case for easy transportation



## **UBICONF-HUDDLE TECH SPECIFICATIONS**

- Mechanically adjustable (up and down) lens:
  1/2.8, fixed focus, 120° angle
- Image sense: Full HD CMOS sensor
- Video: 1080P (1920\*1080 pixel)
- OS: Windows / MacOS
- Touch keypad: Mic on / off; Volume + / -
- Omnidirectional microphone with 256ms acoustic echo cancellation and dynamic noise reduction
- Network interface: USB 2.0
- Power: USB cable supply (5V / 500mA)

- Temperature: 5° 55° C / 41° 131° F
- Storage: -10° 55° C / 14° 131° F
- Humidity: 20-85% non-condensed
- Noise level: <48db
- Full duplex audio
- Loudspeaker: 10 adjustable ranges up to 94dBA; frequency response: 300 to 3400Hz
- Weight: 465g
- Size: 235\*62\*62mm

Version: 01/2018 2/3

#### **UBICONF DATASHEET** - ENGLISH



## **UBICONF-VOICE**

Ubiconf-Voice is a Plug&Play speakerphone especially designed to ensure efficient collaboration in **large conference rooms**. Ubiconf-Voice comes with 3 built-in microphones, you can additionally connect two external mics.



#### **UBICONF-VOICE HIGHLIGHTS**

- All-in-one USB cable for PC connection and charging
- Bluetooth
- Talk time: 4 hours
- Three built-in 360-degree microphones
- Reception distance: up to 4 meters
- External mics (code: UBICONF-VOICE-2EXTMIC): 2 wired mics

## **UBICONF-VOICE TECH SPECIFICATIONS**

- System requirements: Windows, Mac OS X, Linux
- Connection: USB cable 6ft / 1.83m, USB
  v. 2.0
- Application: ubiconf videoconference, iOS/
  Android apps, WP600AXX, W-AIR150
- Connect to iOS/Android apps,
  WP600AXX, W-AIR 150 via Bluetooth
- Max volume: 93dB
- Speaker / mic frequency: 30-16KHz
- 3 built-in mics with 360-degree coverage

- Support for 2 external mics UBICONF-VOICE-2EXTMIC
- Power voltage: 5V DC
- Power consumption: 300mAh max.
- Battery capacity: 700mAh
- Talk time: 4 hours
- Perception distance: up to 4 meters
- Operating temperature: 5°C-40°C
- Storage temperature: -30°C-55°C
- Compliance: RoHS/FCC/CE
- Giftbox size: 47 x 42 x 37 cm

## **UBICONF-VOICE-2EXTMIC TECH SPECIFICATIONS**

- 2 wired microphones
- Cable length: 2 m / 6ft
- Mute button on each mic

- Remarkable voice quality
- Microphone type: desktop
- Up to 25 people in a conference room

Version: 01/2018 3/3